Author Index

Arsenault, A.L. A comparative electron microscopic study of apatite crystals in collagen fibrils of rat bone, dentin and calcified turkey leg tendons, 165

Bab, I., see Nitzan, D.W., 191
Balsan, S., see Silve, C., 65
Bankson, D.D., Rifai, N., Williams, M.E., Silverman, L.M. and Gray, T.K. Biochemical effects of 17β-estradiol on UMR106 cells, 55
Birkenhäger, J.C., see Birkenhäger-Frenkel, D.H., 311
Birkenhäger-Frenkel, D.H., Pols, H.A.P., Zeelenberg, J., Eijgelsheim, J.J., Kortz, R.A.M., Hüpscher, E.A., van Geelen, J., van Berkum, F.N.R. and Birkenhäger, J.C. Effects of 1α-hydroxyvitamin D_3 on various stages of predialysis renal bone disease, 311
Boll, T., see Vukičević, S., 125
Bosco, J.J., see Bronner, F., 141
Boskey, A.L. Noncollagenous matrix proteins and their role in mineralization, 111
Bouizar, Z., see Khattab, M., 249
Bronner, F., Bosco, J.J. and Stein, W.D. Acute plasma calcium regulation in rats: effect of vitamin D deficiency, 141

Calmettes, C., see Khattab, M., 249
Campos, A., see Sanchez-Quevedo, M.C., 323
Červar, M., see Vukičević, S., 125
Chambers, T.J., see Flanagan, A.M., 33
Christiansen, C., see Johansen, J.S., 77
Compston, J.E., Mellish, R.W.E., Croucher, P., Newcombe, R. and Garrahan, N.J. Structural mechanisms of trabecular bone loss in man, 339
Compston, J.E., see Mellish, R.W.E., 331
Crespo, P.V., see Sanchez-Quevedo, M.C., 323
Croucher, P., see Compston, J.E., 339

Darmon, D., see Nitzan, D.W., 191
Davis, J.W., see Nomura, A., 213
Degenhardt, C., see Vukičević, S., 125
Delmas, P., see Silve, C., 65
Denis, D., see Reginster, J.Y., 225
Dequeker, J., see Reginster, J.Y., 225
Dewanjee, M.K., see Eastell, R., 95

Eastell, R., Dewanjee, M.K. and Riggs, B.L. Comparison of polyethylene glycol and chromium-51 chloride as nonabsorbable stool markers in calcium balance studies, 95
Edelman, A., see Silve, C., 65
Eijgelsheim, J.J., see Birkenhäger-Frenkel, D.H., 311

Flanagan, A.M. and Chambers, T.J. Dichloromethylenebisphosphonate (Cl_2MBP) inhibits bone resorption through injury to osteoclasts that resorb Cl_2MBP-coated bone, 33
Franchimont, P., see Reginster, J.Y., 225
Friedlaender, M.M., see Nitzan, D.W., 191
Fritsch, J., see Silve, C., 65
Fujii, N., see Yamada, H., 45
Fujii, Y., see Yamada, H., 45
Fujii, Y., Tsutsumi, M., Tsunenari, T., Fukase, M., Yoshimoto, Y., Fujita, T. and Genant, H.K. Quantitative computed tomography of lumbar vertebrae in Japanese patients with osteoporosis, 87
Fujimori, A., see Yamada, H., 45
Fujita, T., see Fujii, Y., 87
Fujita, T., see Tohmon, M., 15
Fujita, T., see Yamada, H., 45
Fujita, T., see Yamamoto, M., 199

Fukase, M., see Fujii, Y., 87
Fukase, M., see Tohmon, M., 15
Fukase, M., see Yamada, H., 45
Furukawa, Y., see Yamamoto, M., 199

Garabedian, M., see Silve, C., 65
Garcia, J.M., see Sanchez-Quevedo, M.C., 323
Garrahan, N.J., see Compston, J.E., 339
Garrahan, N.J., see Mellish, R.W.E., 331
Genant, H.K., see Fujii, Y., 87
Geusens, P., see Reginster, J.Y., 225
Gray, T.K., see Bankson, D.D., 55
Grosse, B., see Silve, C., 65

Hagenaars, C.E., van der Kraan, A.A.M., Kawilarang-de Haas, E.W.M., Visser, J.W.M. and Nijweide, P.J. Osteoclast formation from cloned pluripotent hemopoietic stem cells, 179
Hämäläinen, M., see Knuuttila, M., 25
Hartwell, D., see Johansen, J.S., 77
Hassager, C., see Johansen, J.S., 77
Heaney, R.P. Osteoporotic fracture space: an hypothesis, 1
Heilbrun, L.K., see Nomura, A., 213
Horowitz, A.T., see Nitzan, D.W., 191
Hüpscher, E.A., see Birkenhäger-Frenkel, D.H., 311

Jilka, R.L. Stimulation of collagenolytic enzyme release from cultured bone cells of normal and osteopetrotic (mi/mi) mice by parathyroid hormone and lipopolysaccharide, 277
Johansen, J.S., Hassager, C., Pødenphant, J., Riis, B.J., Hartwell, D., Thomsen, K. and Christiansen, C. Treatment of postmenopausal osteoporosis: is the anabolic steroid nandrolone decanoate a candidate? 77

Kawilarang-de Haas, E.W.M., see Hagenaars, C.E., 179
Khattab, M., Pidoux, E., Volle, G.E., Bouizar, Z., Calmettes, C., Milhaud, G., Moukhtar, M.S. and Treilhou-Lahille, F. Early calcitonin hypersecretion and C cell hyperplasia in rats with high incidence of C cell tumors (Wag/Rij), 249
Knuuttila, M., Svanberg, M. and Hämäläinen, M. Alterations in rat bone composition related to polyol supplementation of the diet, 25
Konagaya, Y., see Yamamoto, M., 199
Kortz, R.A.M., see Birkenhäger-Frenkel, D.H., 311
Krempien, B., see Vukičević, S., 125

Lee, D.D., see Shimizu, H., 261
Lempert, U.G., see Scharla, S.H., 155

Mellish, R.W.E., Garrahan, N.J. and Compston, J.E. Age-related changes in trabecular width and spacing in human iliac crest biopsies, 331
Mellish, R.W.E., see Compston, J.E., 339
Mihaljević, T., see Vukičević, S., 125
Milhaud, G., see Khattab, M., 249
Minne, H.W., see Scharla, S.H., 155
Miyauchi, A., see Yamada, H., 45
Moukhtar, M.S., see Khattab, M., 249

Newcombe, R., see Compston, J.E., 339
Nijs, J., see Reginster, J.Y., 225
Nijweide, P.J., see Hagenaars, C.E., 179
Nitzan, D.W., Horowitz, A.T., Darmon, D., Friedlaender, M.M., Rubinger, D., Stein, P., Bab, I., Popovtzer, M.M. and Silver, J. Endogenous osteomalacia: a case study, 191
Noda, T., see Yamada, H., 45
Nomura, A., Wasnich, R.D., Heilbrun, L.K., Ross, P.D. and Davis, J.W. Comparison of bone mineral content between Japan-born and US-born Japanese subjects in Hawaii, 213

Ogata, E., see Yamamoto, M., 199
Oswald, C., see Scharla, S.H., 155
Pidoux, E., see Khattab, M., 249
Pødenphant, J., see Johansen, J.S., 77
Pols, H.A.P., see Birkenhäger-Frenkel, D.H., 311
Popovtzer, M.M., see Nitzan, D.W., 191

Reginster, J.Y., Geusens, P., Nijs, J., Denis, D., Franchimont, P. and Dequeker, J. In vivo long-term precision of spinal bone mass measurement by dual photon absorptiometry (Letter to the Editor), 225
Reinholt, F.P., see Svensson, O., 237
Rifai, N., see Bankson, D.D., 55
Riggs, B.L., see Eastell, R., 95
Riis, B.J., see Johansen, J.S., 77
Roach, H.I. and Shearer, J.R. Cartilage resorption and endochondral bone formation during the development of long bones in chick embryos, 289

Ross, P.D., see Nomura, A., 213
Rubinger, D., see Nitzan, D.W., 191

Sakamoto, M., see Shimizu, H., 261
Sakamoto, S., see Shimizu, H., 261
Sanchez-Quevedo, M.C., Crespo, P.V., Garcia, J.M. and Campos, A. X-Ray microanalytical histochemistry of human circumpulpar and mantle dentine, 323
Scharla, S.H., Minne, H.W., Oswald, C., Lempert, U.G., Schmidt-Gayk, H. and Ziegler, R. The hypercalcemic Walker carcinosarcoma 256 of the rat causes an increase in serum 1,25-dihydroxyvitamin D_3, 155
Schmidt-Gayk, H., see Scharla, S.H., 155
Shearer, J.R., see Roach, H.I., 289
Shimizu, H., Sakamoto, S., Sakamoto, M. and Lee, D.D. The effect of substrate composition and condition on resorption by isolated osteoclasts, 261
Silve, C., Fritsch, J., Grosse, B., Tau, C., Edelman, A., Delmas, P., Balsan, S. and Garabedian, M. Corticosteroid-induced changes in the responsiveness of human osteoblast-like cells to parathyroid hormone, 65
Silver, J., see Nitzan, D.W., 191
Silverman, L.M., see Bankson, D.D., 55
Sohn, H.E., see Yamamoto, M., 199
Stavljenić, A., see Vukičević, S., 125
Stein, P., see Nitzan, D.W., 191
Stein, W.D., see Bronner, F., 141
Svanberg, M., see Knuuttila, M., 25
Svensson, O., Wernerson, A. and Reinholt, F.P. The parathyroid glands in the rat as seen by ultrathin step and serial sectioning, 237

Tau, C., see Silve, C., 65
Thomsen, K., see Johansen, J.S., 77
Tohmon, M., Fukase, M. and Fujita, T. Low levels of intestinal calbindin D_{28K} in X-linked hypophosphatemic mice, 15
Tomita, A., see Yamamoto, M., 199
Treilhou-Lahille, F., see Khattab, M., 249
Tsunenari, T., see Fujii, Y., 87
Tsutsumi, M., see Fujii, Y., 87
Tsutsumi, M., see Yamada, H., 45

van Berkum, F.N.R., see Birkenhäger-Frenkel, D.H., 311
van der Kraan, A.A.M., see Hagenaars, C.E., 179
van Geelen, J., see Birkenhäger-Frenkel, D.H., 311
Visser, J.W.M., see Hagenaars, C.E., 179
Volle, G.E., see Khattab, M., 249
Vukičević, S., Stavljenić, A., Boll, T., Červar, M., Degenhardt, C., Mihaljević, T. and Krempien, B. The influence of early parathyroidectomy on aluminum-induced rickets in growing uremic rats, 125

Wasnich, R.D., see Nomura, A., 213
Wernerson, A., see Svensson, O., 237

Yamada, H., Tsutsumi, M., Fukase, M., Fujimori, A., Yamamoto, Y., Miyauchi, A., Fujii, Y., Noda, T., Fujii, N. and Fujita, T. Effects of human PTH-related peptide and human PTH on cyclic AMP production and cytosolic free calcium in an osteoblastic cell clone, 45
Yamamoto, M., Furukawa, Y., Konagaya, Y., Sohn, H.E., Tomita, A., Fujita, T. and Ogata, E. Human PTH(1–34) infusion test in differential diagnosis of various types of hypoparathyroidism: an attempt to establish a standard clinical test, 199
Yamamoto, Y., see Yamada, H., 45
Yoshimoto, Y., see Fujii, Y., 87

Zeelenberg, J., see Birkenhäger-Frenkel, D.H., 311
Ziegler, R., see Scharla, S.H., 155

Subject Index

Ageing, 331
Aluminum, 125
Anabolic steroids, 77
Apatite crystal, 165

Bisphosphonate, 33
Bone, 141, 165
Bone composition, 25
Bone development, 289
Bone formation, 289
Bone loss, 331
Bone mass measurement, 255
Bone mineral, 33
Bone mineral content, 77, 213
Bone remodelling, 339
Bone resorption, 33, 261

C cell hyperplasia, 249
Calbindin D_{28K}, 15
Calcaneus, 213
Calcitonin secretion, 249
Calcium, 25
Calcium balance, 95
Cartilage resorption, 289
Cell injury, 33
Chick embryo, 289
Circumpulpar dentine, human, 323
Citrate, 25
Cl_2MBP, 33
Collagen, 165
Collagenase, 277
Colony-stimulating factor, 179
Corticosteroid-induced changes, 65
Cultured bone cell, 277
Cyclic AMP, 45
Cyclic AMP response, 199
Cytosolic free calcium, 45

Dentin, 165
Devitalized bone, 261

1,25-Dihydroxyvitamin D_3, 155
Dual photon absorptiometry, 255

Electron microscopy, 125
Endochondral ossification, 289
Enzyme, 55
Erosion, 339
Estrogen, 55
Experimental uremia, 125
Extracellular body water, 141

Fibrosarcoma, 191
Functional cycle, 237

Gelatinase, 277

Histochemistry, 289, 323
Human PTH-related peptide, 45
Human
    circumpulpar dentine, 323
    mantle dentine, 323
Hydroxyapatite, 111, 261
4-Hydroxytamoxifen, 55
1α-Hydroxyvitamin D_3, 311
Hypercalcemia of malignancy, 155
Hyperosteoidosis, 311

Idiopathic hypoparathyroidism, 199
Intraperitoneal calcium load, 141

Japanese population, 87
Japanese subjects, 213

Mantle dentine, human, 323
Matrix protein, 111
Medullary thyroid carcinoma, pretumoral, 249
Microanatomic structure, 331
Microphthalmic (mi/mi) mice, 277
Migrant study, 213
Mineralization, 111

Mineralization front, 311

Noncollagenous protein, 111

1,25(OH)D_3, 125
Oncogenous osteomalacia, 191
Osteoblast-like cells, human, 65
Osteoblastic cell, 45, 55
Osteocalcin, 77
Osteoclast, 33, 261
Osteoclast formation, 179
Osteopetrosis, 277
Osteoporosis, 77, 87
Osteoporotic fracture space, 1

Parathyroid glands, 237
Parathyroid hormone, 65, 125
Parathyroidectomy, 125
Phosphaturic response, 199
Phosphorus, 191
Pluripotent hemopoietic stem cell, 179
Polyethylene glycol, 95
Predialysis renal osteodystrophy, 311
Pseudohypoparathyroidism, 199
PTH infusion test, 199

QCT, 87

Radiochromium, 95
Radius, 213
Rat
    calcitonin secretion, 249
    C cell hyperplasia, 249
    medullary thyroid carcinoma, pretumoral, 249
Rate of return, to preinjection plasma calcium, 141
Rickets, 125

Secondary hyperparathyroidism, 311
Sorbitol, 25
Spinal bone mass, 255
Spinal trabecular bone density, 87
Sprague-Dawley rat, 237
Stool marker, 95
Structure, 339

Thinning, 339
Trabecular bone, 331
Trabecular bone loss, 339
Trabecular spacing, 331
Trabecular width, 331
Transferrin, 55
Turkey leg tendon, 165

Ultrastructure, 237

Vitamin D, 191

Walker carcinosarcoma 256, 155

X-linked hypophosphatemic mice, 15
X-Ray microanalysis, 323
Xylitol, 25